

(No.): ETR23900394

(Date): 15-Sep-2023

# Test Report

#### (EVERLIGHT ELECTRONICS CO., LTD.)

#### 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(The following sample(s) was/were submitted and identified by the applicant

as) BASIC INFORMATION	
Type of Product	PHOTO LINK PLR
Supplier Company Name	EVERLIGHT
Address	NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN
Tel / Fax / Email	TEL:886-2685-6688
	FAX:886-2685-6699
	E-MAIL: allenchiang@everlight.com
Contact Person	Allen
EVERLIGHT REPORT NO	EVERLIGHT-PHOTO LINK PLR SERIES
	Sampling Product : PLR138/S17-SGS-15-Sep-2023
PRODUCT INFORMATION	
Product/component Sample	CD PLAY
description	
Quantity (numbers or weight)	0.1318 g
EVERLIGHT P/N	PHOTO LINK PLR SERIES
	Sampling Product : PLR138/S17
Product Lot No	ZS23042418M-2
Country of Origin	CHINA
TEST INFORMATION	
Sample preparation	CUTTING
Test Method	RoHS: IEC 62321, Halogen: BS EN 14582
MDL	Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg
(Sample Submitted By)	: (EVERLIGHT ELECTRONICS CO., LTD.)

(Sample Receiving Date) : 04-Sep-2023 (Testing Period) : 04-Sep-2023 to 15-Sep-2023

(Test Results)

(Please refer to following pages).



PIN CODE: 1CA447AE



(No.): ETR23900394

(Date): 15-Sep-2023

(EVERLIGHT ELECTRONICS CO., LTD.)

#### 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Requested) (1)RoHS 2011/65/EU Annex II (EU) 2015/863 , DBP, BBP, DEHP, DIBP (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).) PAHs (As specified by client, to test PAHs and (2) other item(s).) (Conclusion) (1) , DBP, BBP, DEHP, DIBP RoHS 2011/65/FU Annex II (EU) 2015/863 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.) (2)(A fPS) G S PA H s

3 (Based upon the performed tests on the submitted sample(s), the test results of PAHs (15 items) comply with the limits of PAHs requirement (Category 3) O ther consumer products as set by German Committee on Product Safety (AfPS) GS PAHs.)

	(Test F	Part Descripti	on)
No.1	:	(BODY)	
No.2	:		(PLATING LAYER OF SILVER COLORED METAL PIN)
No.3	:		(BASE MATERIAL OF SILVER COLORED METAL PIN)
No.4	:	(	) (SILVER COLORED METAL PIN (INCLUDING THE PLATING LAYER))

(Test Results)

(Test Items)	(Method) (		MDL		(Result)		(Limit)
				No.1	No.2	No.3	
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013 (With reference to IEC	mg/kg	2	n.d.			100
(Pb) (Lead (Pb))	62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.			1000



#### (No.): ETR23900394

(Date): 15-Sep-2023

#### (EVERLIGHT ELECTRONICS CO., LTD.)

#### 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

		MDL					
(Test Items)	(Method)	(Unit)		(Result)			(Limit)
				No.1	No.2	No.3	
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017 (With	mg/kg	2	n.d.			1000
	reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP- OES.)						
Cr(VI) (Hexavalent Chromium Cr(VI))	IEC 62321-7-2: 2017 - (With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)		8	n.d.			1000
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013 (IEC 62321-5: 2013 application of modified digestion by surface etching, analysis was performed by ICP-OES.)		2		n.d.		100
(Pb) (Lead (Pb))			2		59.5		1000
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD 1: 2017 (IEC 62321-4: 2013+ AMD 1: 2017 application of modified digestion by surface etching, analysis was performed by ICP-OES.)		2		n.d.		1000
(Cd) (Cadmium (Cd))	IEC 62321-5: 2013 (With reference to IEC	mg/kg	2			n.d.	100
(Pb) (Lead (Pb))	62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2			11.0	1000
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1: 2017 (With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP- OES.)	mg/kg	2			n.d.	1000



#### (No.): ETR23900394

(Date): 15-Sep-2023

#### (Page): 4 of 23

#### (EVERLIGHT ELECTRONICS CO., LTD.)

#### 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

I	I	I	MDL	1			
(Test Items)	(Method)	(Unit)	IVIDL		(Result)		(Limit)
(1031110113)	(Method)	(Orm)		No.1	No.2	No.3	
(Hexavalent Chromium)	IEC 62321-7-1: 2015 -	µg/cm²	0.1		n.d.	n.d.	-
Cr(VI) (#2)	(With reference to IEC	r J			11.GI	Thu:	
	62321-7-1: 2015, analysis was performed						
	by UV-VIS.)						
(Monobromobiphenyl)		mg/kg	5	n.d.			-
(Dibromobiphenyl)	1	mg/kg	5	n.d.			-
(Tribromobiphenyl)	1	mg/kg	5	n.d.			-
(Tetrabromobiphenyl)	1	mg/kg	5	n.d.			-
(Pentabromobiphenyl)	1	mg/kg	5	n.d.			-
(Hexabromobiphenyl)	1	mg/kg	5	n.d.			-
(Heptabromobiphenyl)	1	mg/kg	5	n.d.			-
(Octabromobiphenyl)	1	mg/kg	5	n.d.			-
(Nonabromobiphenyl)		mg/kg	5	n.d.			-
(Decabromobiphenyl)	IEC 62321-6: 2015 /	mg/kg	5	n.d.			-
(Sum of PBBs)	(With reference to IEC 62321-	mg/kg	-	n.d.			1000
(Monobromodiphenyl ether)	6: 2015, analysis was performed by	mg/kg	5	n.d.			-
(Dibromodiphenyl ether)	GC/MS.)	mg/kg	5	n.d.			-
(Tribromodiphenyl ether)	1	mg/kg	5	n.d.			-
(Tetrabromodiphenyl ether)	1	mg/kg	5	n.d.			-
(Pentabromodiphenyl ether)	1	mg/kg	5	n.d.			-
(Hexabromodiphenyl ether)		mg/kg	5	n.d.			-
(Heptabromodiphenyl ether)		mg/kg	5	n.d.			-
(Octabromodiphenyl ether)	]	mg/kg	5	n.d.			-
(Nonabromodiphenyl ether)	]	mg/kg	5	n.d.			-
(Decabromodiphenyl ether)	]	mg/kg	5	n.d.			-
(Sum of PBDEs)	]	mg/kg	-	n.d.			1000



#### (No.): ETR23900394

(Date): 15-Sep-2023

#### (Page): 5 of 23

# Test Report

#### 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)		(Result)			(Limit)
	(Method) (Onit)		(Unit)		No.2 No.3		
(BBP) (Butyl benzyl phthalate (BBP))	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	No.1 n.d.			1000
(DBP) (Dibutyl phthalate (DBP))	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.			1000
(2- ) (DEHP) (Di-(2-ethylhexyl) phthalate (DEHP))	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.			1000
(DIBP) (Diisobutyl phthalate (DIBP))	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.			1000
(DIDP) (Diisodecyl phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.			-
(DINP) (Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.			-
(DNOP) (Di-n- octyl phthalate (DNOP)) (CAS No.: 117-84-0)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.			-
(DNPP) (Di-n- pentyl phthalate (DNPP)) (CAS No.: 131-18-0)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.			-
(DNHP) (Di-n- hexyl phthalate (DNHP)) (CAS No.: 84-75-3)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.			-
(2- ) (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.			-
(DMP) (Dimethyl phthalate (DMP)) (CAS No.: 131-11- 3)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.			-



#### (No.): ETR23900394

(Date): 15-Sep-2023

#### (Page): 6 of 23

# Test Report

#### 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL	(Result)			(Limit)
(rest tierts)				No.1	No.2	No.3	
(DIOP) (Diisooctyl phthalate (DIOP)) (CAS No.: 27554-26-3)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.			-
(DNNP) (Di-n- nonyl phthalate (DNNP)) (CAS No.: 84-76-4)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.			-
(HBCDD) ( - HBCDD, - HBCDD, - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified ( - HBCDD, - HBCDD, - HBCDD)) (CAS No.: 25637-99-4, 3194- 55-6 (134237-51-7, 134237-50-6, 134237-52-8))	IEC 62321: 2008 / (With reference to IEC 62321: 2008, analysis was performed by GC/MS.)		5	n.d.			-
(F) (Fluorine (F)) (CASNo.: 14762- 94-8)		mg/kg	50	n.d.			-
(CI) (Chlorine (CI)) (CASNo.: 22537-15-1)	BS EN 14582: 2016		50	211			-
(Br) (Bromine (Br)) (CASNo.: 10097-32-2)	(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.			-
(I) (Iodine (I)) (CASNo.: 14362- 44-8)		mg/kg	50	n.d.			-
(PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	CEN /TS 15968: 2010 (With reference to CEN /TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.			-
(PFOA and its salts) (CAS No.: 335-67-1 and its salts)	CEN /TS 15968: 2010 (With reference to CEN /TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.			-
(Be) (Beryllium (Be)) (CASNo.: 7440-41-7)	US EPA 3052: 1996 (With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.			-



#### (No.): ETR23900394

(Date): 15-Sep-2023

#### (Page): 7 of 23

#### (EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL	(Result)		)	(Limit)
(1001110)	((())))	(01111)		No.1	No.2	No.3	()
(Polycyclic Aromatic Hydrocarbons) (PAHs)							
(a) (Benzo[a]pyrene) (CASNo.: 50-32-8)		mg/kg	0.2	n.d.			
(e) (Benzo[e]pyrene) (CASNo.: 192-97-2)		mg/kg	0.2	n.d.			
(Benzo[a]anthracene) (CAS No.: 56-55-3)		mg/kg	0.2	n.d.			
(b) (Benzo[b]fluoranthene) (CAS No.: 205-99-2)		mg/kg	0.2	n.d.			
(j) (Benzo[j]fluoranthene) (CAS No.: 205-82-3)		mg/kg	0.2	n.d.			
(k) (Benzo[k]fluoranthene) (CAS No.: 207-08-9)	A fPS G S 2019:01 PA K	mg/kg	0.2	n.d.			
(Chrysene) (CASNo.: 218-01-9)	/ (With reference to A fPS	mg/kg	0.2	n.d.			
(Dibenzo[a,h]anthracene) (CAS No.: 53-70-3)	GS 2019:01 PAK, analysis was performed by GC/MS.)	mg/kg	0.2	n.d.			
(Benzo[g,h,i]perylene) (CAS No.: 191-24-2)		mg/kg	0.2	n.d.			
(Indeno[1,2,3-c,d]pyrene) (CAS No.: 193-39-5)		mg/kg	0.2	n.d.			
(Anthracene) (CASNo.: 120-12-7)		mg/kg	0.2	n.d.			
(Fluoranthene) (CASNo.: 206- 44-0)		mg/kg	0.2	n.d.			
(Phenanthrene) (CASNo.: 85-01-8)	1	mg/kg	0.2	n.d.			
(Pyrene) (CASNo.: 129-00-0)	1	mg/kg	0.2	n.d.			
(Naphthalene) (CAS No.: 91-20-3)	]	mg/kg	0.2	n.d.			
15 (Sum of 15		mg/kg	-	n.d.			



(Page): 8 of 23

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)



#### (No.): ETR23900394

(Date): 15-Sep-2023

#### (Page): 9 of 23

# Test Report

#### (EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

#### PAHs Remark

(A fPS): G S PA H s AfPS (German commission for Product Safety): GS PAHs requirements

	1 (Category 1)			3 (Cate	egory 3)	
(Parameter) intended to be placed in the mouth, or materials in toys		are not in Category	eable long-term seconds) or	covered by Category 1 or 2, with n intended or foreseeable short- term skin contact ( 30 seconds))		
	years of age with intended long-term skin contact (> 30 seconds))	14	(Other consumer	(Use by	b. (Other consumer products)	
Naphthalene	< 1	< 2		< 1(	)	
Phenanthrene						
Anthracene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum	
Fluoranthene	< i Suffi	< o Sum	< 10 Sum	< 20 Sum	< 50 Sum	
Pyrene						
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	



(Page): 10 of 23

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)



(No.): ETR23900394

(Date): 15-Sep-2023

(Page): 11 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Classification of Substance Concentration)

(Substance Name)

CAS No.

salts (PFOA and its salts) (CAS No.: 335-67-1 and its salts)

(PFOA-Na) Perfluorooctanoic acid and its Sodium perfluorooctanoate (PFOA-Na) (PFOA-K)

335-95-5



#### (No.): ETR23900394

(Date): 15-Sep-2023


#### (Page): 12 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart. Cr<sup>6+</sup> test method excluded





#### (No.): ETR23900394

(Date): 15-Sep-2023

#### (Page): 13 of 23


#### (EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

#### / Flow chart of stripping method for metal analysis

/ The plating layer

of samples were dissolved totally by pre-conditioning method according to below flow chart. Cr<sup>6+</sup> test method excluded





#### (No.): ETR23900394

(Date): 15-Sep-2023

#### (Page): 14 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - PBBs/PBDEs / First testing process / Optional screen process / Confirmation process / Sample pretreatment / Screen analysis -----<u>1</u>-----/ Sample extraction / Soxhlet method Ť / Concentrate/Dilute extracted solution Ť / Filter ↓ / GC/MS



#### (No.): ETR23900394

(Date): 15-Sep-2023


(Page): 15 of 23

#### (EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - Phthalate

/Test method: IEC 62321-8






#### (No.): ETR23900394

(Date): 15-Sep-2023

#### (Page): 16 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)



/ Analytical flow chart - HBCDD




#### (No.): ETR23900394

(Date): 15-Sep-2023

#### (Page): 17 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)



/ Analytical flow chart - Halogen

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



(No.): ETR23900394


(Date): 15-Sep-2023

#### (Page): 18 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

( / / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)






(No.): ETR23900394

(Date): 15-Sep-2023

#### (Page): 19 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)





(No.): ETR23900394

(Date): 15-Sep-2023


(Page): 20 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

( ) / Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart. /Reference method US EPA 3051A US EPA 3052



\* US EPA 3051A

/ US EPA 3051A method does not add HF.



#### (No.): ETR23900394

(Date): 15-Sep-2023

#### (Page): 21 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)


6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

#### ICP-OES

(Flow chart of digestion for the elements analysis performed by ICP-OES)

/ These samples were dissolved totally by

pre-conditioning method according to below flow chart.



, , , / Steel, copper, aluminum, solder	, , , , / Aqua regia, HNO $_3$ , HCI, HF, H $_2O_2$
/ Glass	, / HNO <sub>3</sub> ,HF
, , , / Gold, platinum, palladium, ceramic	/ Aqua regia
/ Silver	/ HNO <sub>3</sub>
/ Plastic	, , , / H <sub>2</sub> SO <sub>4</sub> , H <sub>2</sub> O <sub>2</sub> , HNO <sub>3</sub> , HCI
/ Others	/ Added appropriate reagent to total digestion



(No.): ETR23900394

(Date): 15-Sep-2023

(Page): 22 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

\* / . \* (The tested sample / part is marked by an arrow if it's shown on the photo.)



# ETR23900394\_NO.?



(No.): ETR23900394

(Date): 15-Sep-2023

(Page): 23 of 23

(EVERLIGHT ELECTRONICS CO., LTD.)

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)



\*\*

(End of Report) \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25號 t